

1. INSPECT TREE FOR DAMAGED BRANCHES, APPLY CORRECTIVE PRUNING.

2. SET ROOT BALL ON UNEXCAVATED OR TAMPED SOIL. TOP OF ROOTBALL SHALL BE TWO INCHES ABOVE SURROUNDING GRADE WITH BURLAP AND WIRE BASKET

REMOVE WIRE BASKET AND BURLAP DOWN FOUR TO SIX INCHES BELOW TOP OF ROOT BALL. REMOVE ALL TWINE AND (IF USED), SYNTHETIC MATERIAL. REMOVE OR CORRECT GIRDLING ROOTS.

4. TAMP EXCAVATED SOIL AROUND BASE OF ROOTBALL BACKFILL REMAINDER EXCAVATED SOIL TAMPED LIGHTLY. HIGH CLAY OR POOR SOIL SHALL RECEIVE SOIL AMENDMENT PER LANDSCAPE NOTES.

WATER THOROUGHLY WITHIN TWO HOURS USING 10 TO 15 GALLONS OF WATER.

8. FINAL LOCATION OF TREE TO BE APPROVED BY OWNER.

7. APPLY MULCH IN EVEN LAYER, KEEPING AWAY FROM **ROOT FLARE**

- SHREDDED HARDWOOD MULCH - EXCAVATED BACKFILL TAMPED BACKFILL - SUBGRADE

TREE PLANTING

EVERGREEN TREE PLANTING

MINIMUM 6" BEYOND ROOT BALI SHREDDED HARDWOOD MULCH AMENDED SOIL SUBGRADE

2X ROOT BALL WIDTH

1. APPLY CORRECTIVE PRUNING. 2. SET ROOT BALL OR CONTAINER ON UNEXCAVATED OR TAMPED SOIL. TOP OF ROOTBALL (CONTAINER) SHALL BE ONE INCH ABOVE SURROUNDING GRADE. FOR LARGER SHRUBS WITHIN PLANTING BED DIG A DEEPER PIT ONLY FOR THOSE SHRUBS.

3. REMOVE BURLAP FROM TOP HALF THE LENGTH OF ROOTBALL. TWINE AND (IF USED) SYNTHETIC MATERIAL SHALL BE REMOVED FROM PLANTING BED. FOR CONTAINER GROWN SHRUBS, REMOVE CONTAINER AND LOOSEN ROOTS

PRIOR TO INSTALLATION. 4. REMOVE OR CORRECT GIRDLING ROOTS.

5. PLUMB AND BACKFILL WITH AMENDED SOIL PER LANDSCAPE NOTES. WATER

THOROUGHLY WITHIN TWO HOURS. 6. APPLY MULCH IN EVEN LAYER, KEEPING AWAY FROM ROOT FLARE. MULCH LIMITS FOR SHRUBS EXTEND TO ALL LIMITS OF PLANTING BED, SEE PLANS FOR BED LAYOUTS.

SHREDDED HARDWOOD MULCH AMENDED SOIL

NOTES:

1. INSPECT TREE FOR DAMAGED BRANCHES, APPLY

OF ROOTBALL SHALL BE TWO INCHES ABOVE

4. TAMP EXCAVATED SOIL AROUND BASE OF ROOTBALL

HIGH CLAY OR POOR SOIL SHALL RECEIVE SOIL

7. APPLY MULCH IN EVEN LAYER, KEEPING AWAY FROM

8. FINAL LOCATION OF TREE TO BE APPROVED BY OWNER.

- SHREDDED HARDWOOD MULCH

- SUBGRADE

EXCAVATED BACKFILL

TAMPED BACKFILL

- SUBGRADE

AMENDMENT PER LANDSCAPE NOTES.

2. SET ROOT BALL ON UNEXCAVATED OR TAMPED SOIL. TOP

SURROUNDING GRADE WITH BURLAP AND WIRE BASKET

REMOVE WIRE BASKET AND BURLAP DOWN FOUR TO SIX

5. BACKFILL REMAINDER EXCAVATED SOIL TAMPED LIGHTLY.

6. WATER THOROUGHLY WITHIN TWO HOURS USING 10 TO 15

INCHES BELOW TOP OF ROOT BALL. REMOVE ALL TWINE AND (IF USED), SYNTHETIC MATERIAL. REMOVE OR

CORRECTIVE PRUNING.

CORRECT GIRDLING ROOTS.

GALLONS OF WATER.

ROOT FLARE.

APPLY CORRECTIVE PRUNING

2X ROOT BALL WIDTH

2. SET ROOT BALL OR CONTAINER ON UNEXCAVATED OR TAMPED SOIL. TOP

OF CONTAINER SHALL BE ONE INCH ABOVE SURROUNDING GRADE. 3. SYNTHETIC MATERIAL SHALL BE REMOVED FROM PLANTING BED. FOR CONTAINER GROWN GRASSES, REMOVE CONTAINER AND LOOSEN ROOTS PRIOR TO INSTALLATION.

4. REMOVE OR CORRECT GIRDLING ROOTS.

5. PLUMB AND BACKFILL WITH AMENDED SOIL PER LANDSCAPE NOTES.

WATER THOROUGHLY WITHIN TWO HOURS. 6. APPLY MULCH IN EVEN LAYER, KEEPING AWAY FROM ROOT FLARE. MULCH LIMITS FOR GRASS EXTEND TO ALL LIMITS OF PLANTING BED, SEE PLANS FOR BED LAYOUTS.

ORNAMENTAL GRASS PLANTING

EXCAVATE PLANTING BED.

SHRUB PLANTING


NOTES:


2. BED HEIGHT IS TO BE 2" ABOVE FINISH GRADE AND WELL DRAINED. 3. REMOVE CONTAINER, SCORE SOIL MASS TO REDIRECT AND PREVENT CIRCLING

ROOTS. CORRECT GIRDLING ROOTS. 2. PLANT MATERIAL SHALL BE LAID OUT BY FOLLOWING THE BED EDGE, WORKING TOWARDS THE CENTER OF THE BED USING TRIANGULAR (STAGGERED) SPACING

AS PLAUSIBLE. 3. PLUMB AND BACKFILL WITH PLANTING MIX AS SPECIFIED IN LANDSCAPE NOTES. APPLY MULCH IN EVEN LAYER, KEEPING AWAY FROM ROOT FLARE. MULCH LIMITS

FOR PERENNIALS/GROUNDCOVER EXTEND TO ALL LIMITS OF PLANTING BED, SEE PLANS FOR BED LAYOUTS. 5. SPACING TO BE AS SPECIFIED IN THE PLANT LIST. PERENNIALS SHALL BE PLACED WITH THEIR CENTER 24" FROM EDGE OF BED.





PERENNIAL PLANTING

SECTION

OWNERS WRITTEN ACCEPTANCE OF THE INITIAL PLANTING. REPLACEMENT PLANT MATERIAL SHALL HAVE A ONE YEAR GUARANTEE COMMENCING UPON PLANTING. 8. PLANTS TO MEET AMERICAN STANDARD FOR NURSERY STOCK (ANSI Z60.1-2014 OR MOST CURRENT

THIS CONTRACT.

THE IMMEDIATE AREA.

EXCAVATIONS THAT SETTLE.

OR OTHERWISE NOT EXHIBITING SUPERIOR QUALITY.

VERSION) REQUIREMENTS FOR SIZE AND TYPE SPECIFIED. 9. PRUNE PLANTS AS NECESSARY- PER STANDARD NURSERY PRACTICE AND TO CORRECT POOR BRANCHING OF EXISTING AND PROPOSED TREES.

10. TOPSOIL SHALL BE PROVIDED AND GRADED BY THE GENERAL CONTRACTOR UP TO 6 INCHES BELOW FINISHED GRADE IN TURF AREAS AND 18 INCHES IN PLANTING AREAS.

1. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLING MATERIALS AND PLANTS

UTILITIES, ADJACENT LANDSCAPE, PUBLIC AND PRIVATE PROPERTY THAT IS DAMAGED BY THE

SPECIFIED MAINTENANCE PERIOD. CALL FOR UTILITY LOCATIONS PRIOR TO ANY EXCAVATION.

THE LANDSCAPE ARCHITECT, PRIOR TO CONTINUING WITH THAT PORTION OF WORK.

4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REPAIR OF ANY OF THEIR TRENCHES OR

5. ALL PLANTS TO BE SPECIMEN GRADE, WELL BRANCHED, HEALTHY, FULL, PRE-INOCULATED AND

SHOWN ON THE LANDSCAPE PLAN. THE CONTRACTOR IS RESPONSIBLE FOR THE COST TO REPAIR

CONTRACTOR OR THEIR SUBCONTRACTOR'S OPERATIONS DURING INSTALLATION OR DURING THE

2. THE CONTRACTOR SHALL REPORT ANY DISCREPANCY IN PLAN VS. FIELD CONDITIONS IMMEDIATELY TO

FERTILIZED. PLANTS SHALL BE FREE FROM DISEASE, PESTS, WOUNDS, AND SCARS. PLANTS SHALL BE

FREE FROM NOTICEABLE GAPS, HOLES, OR DEFORMITIES. PLANTS SHALL BE FREE FROM BROKEN OR DEAD BRANCHES. TRUNKS WILL BE WRAPPED IF NECESSARY TO PREVENT SUN SCALD AND INSECT

DAMAGE. THE LANDSCAPE CONTRACTOR SHALL REMOVE THE WRAP AT THE PROPER TIME AS PART OF

6. THE OWNER'S REPRESENTATIVE MAY REJECT ANY PLANT MATERIALS THAT ARE DISEASED, DEFORMED,

7. ALL NURSERY STOCK SHALL BE GUARANTEED, BY THE CONTRACTOR, FOR ONE YEAR FROM DATE OF FINAL INSPECTION. THE GUARANTEE BEGINS ON THE DATE OF THE LANDSCAPE ARCHITECT'S OR

3. NO PLANTING WILL BE INSTALLED UNTIL ALL GRADING AND CONSTRUCTION HAS BEEN COMPLETED IN

11. PLANTING AREA TOPSOIL SHALL BE AMENDED WITH 25% SPHAGNUM PEATMOSS, 5% HUMUS AND 70% PULVERIZED SOIL FOR ALL NON TURF SEED MIX AREAS, SHRUB, ORNAMENTAL GRASS, PERENNIAL AND

12. SEED/SOD LIMIT LINES ARE APPROXIMATE. CONTRACTOR SHALL SEED/SOD ALL AREAS WHICH ARE DISTURBED BY GRADING WITH THE SPECIFIED SEED/SOD MIXES.

13. EDGING TO BE A SPADED EDGE UNLESS INDICATED OTHERWISE ON THE PLANS. SPADED EDGE TO PROVIDE V-SHAPED DEPTH AND WIDTH TO CREATE SEPARATION BETWEEN MULCH AND GRASS. A SPADED BED EDGE SHALL SEPARATE MULCH BEDS FROM TURF OR SEEDED AREAS. A SPADED EDGE IS NOT REQUIRED ALONG CURBED EDGES.

14. CONTRACTOR SHALL INSTALL SHREDDED HARDWOOD MULCH AT A 3" DEPTH TO ALL TREES, SHRUB, PERENNIAL, AND GROUNDCOVER AREAS. TREES PLACED IN AREA COVERED BY TURF SHALL RECEIVE A 4

FT WIDE MAXIMUM TREE RING WITH 3" DEPTH SHREDDED HARDWOOD MULCH. 15. INSTALLATION OF TREES WITHIN PARKWAYS SHALL BE COORDINATED IN THE FIELD WITH LOCATIONS OF UNDERGROUND UTILITIES. TREES SHALL NOT BE LOCATED CLOSER THAN 5' FROM UNDERGROUND

UTILITY LINES AND NO CLOSER THAN 10' FROM UTILITY STRUCTURES. 16. DO NOT DISTURB THE EXISTING PAVING, LIGHTING, OR LANDSCAPING THAT EXISTS ADJACENT TO THE SITE UNLESS OTHERWISE NOTED ON PLAN.

17. ALL DISTURBED AREAS TO BE SODDED OR SEEDED, UNLESS OTHERWISE NOTED. SOD/SEED SHALL BE LOCAL HARDY TURF GRASS MIX UNLESS, OTHERWISE NOTED

18. PLANT QUANTITIES SHOWN ARE FOR THE CONVENIENCE OF THE OWNER AND JURISDICTIONAL REVIEW AGENCIES. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL PLANT QUANTITIES AS DRAWN.

19. THE CONTINUED MAINTENANCE OF ALL REQUIRED LANDSCAPING SHALL BE THE RESPONSIBILITY OF THE OWNER OF THE PROPERTY ON WHICH SAID MATERIALS ARE REQUIRED. ALL PLANT MATERIALS REQUIRED BY THIS SECTION SHALL BE MAINTAINED AS LIVING VEGETATION AND SHALL BE PROMPTLY REPLACED IF THE PLANT MATERIAL HAS DIED PRIOR TO FINAL ACCEPTANCE. PLANTING AREAS SHALL BE KEPT FREE OF TRASH, LITTER, AND WEEDS AT ALL TIMES

LANDSCAPE NOTES


NTS


工 \Rightarrow

ORIGINAL ISSUE: 02/24/2025 KHA PROJECT NO 268411004

L2.0

SHEET NUMBER





PARENT PARCEL INFORMATION:

PART OF TAX ID. NO. 45-06-25-276-014.000-027 103,217 SQUARE FEET± CAHST MUNSTER, LLC 2.37 ACRES±

SPECIAL WARRANTY DEED DOC. NO. 2021-062100 REC. 10/4/2021

ALTA/NSPS OPTIONAL TABLE "A" SURVEY RESPONSIBILITIES AND SPECIFICATIONS ITEM NOTES

ITEM 1: MONUMENTS SET OR FOUND ARE SHOWN HEREON.

ITEM 2: ADDRESS SHOWN HEREON IS PER THE TITLE COMMITMENT REFERENCED HEREON, AND WAS NOT OBSERVED DURING THE SURVEY.

ITEM 3: FLOOD ZONE DESIGNATION: THE ACCURACY OF ANY FLOOD HAZARD DATA SHOWN ON THIS PLAT IS SUBJECT TO MAP SCALE UNCERTAINTY AND TO ANY OTHER UNCERTAINTY IN LOCATION OR ELEVATION ON THE FLOOD INSURANCE RATE MAP, (FIRM). THE SUBJECT PARCEL DESCRIBED IN THE PARCEL DESCRIPTION SHOWN HEREON APPEARS TO LIE WITHIN THAT FLOOD HAZARD ZONE "X" AREAS DETERMINED TO BE OUTSIDE OF THE 0.2% ANNUAL CHANCE FLOODPLAIN AS SAID SUBJECT PARCEL PLOTS BY SCALE ON FLOOD INSURANCE RATE MAP FOR THE TOWN OF MUNSTER, LAKE COUNTY, INDIANA, COMMUNITY NUMBER 180139, PANEL NUMBER 18089C0117E. MAP EFFECTIVE DATE: JANUARY 18, 2012.

ITEM 4: LAND AREA IS SHOWN HEREON.

ITEM 5: VERTICAL RELIEF - ELEVATIONS AND THE RESULTING CONTOURS (1-FOOT INTERVAL UNLESS OTHERWISE SPECIFIED) SHOWN HEREON WERE MEASURED ON THE GROUND THIS SURVEY AND ARE REFERENCED TO A STATEWIDE GNSS REFERENCE STATION NETWORK KNOWN AS INCORS WHICH IS MAINTAINED BY THE INDIANA DEPARTMENT OF TRANSPORTATION USING THE NORTH AMERICAN VERTICAL DATUM OF 1988.

ITEM 7(a): EXTERIOR DIMENSIONS OF ALL BUILDINGS AT GROUND LEVEL ARE SHOWN HEREON.

ITEM 8: SUBSTANTIAL VISIBLE FEATURES SUCH AS PARKING LOTS, BILLBOARDS, SIGNS, SWIMMING POOLS, LANDSCAPED AREAS, AND SUBSTANTIAL AREAS OF REFUSE (IF ANY) ARE

ITEM 9: STRIPING OF CLEARLY IDENTIFIABLE PARKING SPACES ON SURFACE PARKING AREAS AND LOTS, PARKING TYPES, AND THE NUMBER OF SPACES ARE SHOWN HEREON.

ITEM 11: EVIDENCE OF UNDERGROUND UTILITIES EXISTING ON OR SERVING THE SURVEYED PROPERTY WAS DETERMINED BY OBSERVED EVIDENCE AND EVIDENCE FROM PLANS REQUESTED BY THE SURVEYOR AND OBTAINED FROM UTILITY COMPANIES OR PROVIDED BY CLIENT TO DEVELOP A VIEW OF UNDERGROUND UTILITIES. HOWEVER, LACKING EXCAVATION, THE EXACT LOCATION OF UNDERGROUND FEATURES CANNOT BE ACCURATELY, COMPLETELY, AND RELIABL' DEPICTED. LOCATIONS OF UNDERGROUND UTILITIES/STRUCTURES MAY VARY FROM VISIBLE LOCATIONS SHOWN HEREON. ADDITIONAL BURIED UTILITIES/STRUCTURES MAY BE ENCOUNTERED. NO EXCAVATIONS OR PROBINGS WERE MADE DURING THE PROGRESS OF THIS FEEDERS OR LATERALS. NO ATTEMPT HAS BEEN MADE AS A PART OF THIS SURVEY TO OBTAIN DATA CONCERNING SIZE, DEPTH, CONDITION, CAPACITY OF ANY UTILITIES LOCATED WITHIN THE SITE SURVEYED OR SERVING THE SITE, UNLESS SHOWN HEREON. A UTILITY LOCATE REQUEST WAS MADE FOR THE SITE (INDIANA 811 TICKET NO. 2501070665). IF ADDITIONAL OR MORE DETAILED INFORMATION IS REQUIRED, EXCAVATION AND/OR A PRIVATE UTILITY LOCATE REQUEST MAY BE


- 1.) EXCEPT AS SPECIFICALLY STATED OR SHOWN ON THIS PLAT, THIS SURVEY DOES NOT PURPORT TO REFLECT ANY OF THE FOLLOWING WHICH MAY BE APPLICABLE TO THE SUBJECT REAL
- A.) EASEMENTS, OTHER THAN THE POSSIBILITY OF EASEMENTS WHICH WERE VISIBLE BY PHYSICAL EVIDENCE AT THE TIME OF THIS SURVEY OR SHOWN BY DOCUMENTS PROVIDED AND RECORD PLAT
- B.) BUILDING SETBACK LINES, RESTRICTIVE COVENANTS, SUBDIVISION RESTRICTIONS, ZONING OR OTHER LAND-USE REGULATIONS, OTHER THAN THAT SHOWN ON THE RECORD PLAT.

2.) THIS SURVEY DOES NOT ADDRESS THE EXISTENCE, IF ANY, OF ITEMS THAT WOULD REQUIRE AN INTERPRETATION BY THE SURVEYOR, (I.E. COMPLIANCE WITH ALL ZONING REQUIREMENTS) EXISTENCE OF ITEMS BEYOND THE QUALIFICATION OF SURVEYOR (I.E. WETLANDS, HAZARDOUS MATERIAL) AND ITEMS NOT READILY VISIBLE DURING A REASONABLE INSPECTION OF SITE (PAST CEMETERIES, LANDFILLS, AND MINERAL RIGHTS).

3.) THIS SURVEY MAY NOT REFLECT ALL UTILITIES OR IMPROVEMENTS IF SUCH ITEMS ARE HIDDEN BY LANDSCAPING OR ARE OBSCURED BY SUCH ITEMS AS DUMPSTERS, TRAILERS, CARS, DIRT, PAVING OR SNOW. AT THE TIME OF THIS SURVEY, SNOW DID COVER THE SITE. LAWN SPRINKLERS SYSTEMS, IF ANY, ARE NOT SHOWN ON THIS SURVEY.

4.) THIS SURVEY DOES NOT CONSTITUTE A TITLE SEARCH BY THE SURVEYOR.


5.) BASIS OF BEARINGS IS PER SECOND RE-SUBDIVISION OF LOT 1, OF LAKE BUSINESS CENTER SUBDIVISION, PLAT BOOK 118, PAGE 19, DOCUMENT NUMBER 2024-018297, REC. 7/12/2024...



C HYDRANT


⊗ WATER VALVE


UTILITY POLE



1.) PLATTED SUBDIVISIONS NOTED AND SHOWN HEREON. 2.) ALTA/NSPS LAND TITLE SURVEY OF LOT 7 IN THE RE-SUBDIVISION OF LOT 1 FOR LAKE BUSINESS CENTER BY DVG TEAM, INC JOB NO. S19-207, LAST

3.) ALTA/NSPS LAND TITLE SURVEY OF LOTS 1 & 2 IN THE RE-SUBDIVISION OF LOT 1 FOR LAKE BUSINESS CENTER BY HWC ENGINEERING JOB NUMBER 2022-276-S, DATED 10/5/2022.





THIS SURVEY DOES NOT CONSTITUTE A TITLE SEARCH BY THE SURVEYOR. ALL INFORMATION REGARDING RECORD EASEMENTS AND OTHER DOCUMENTS WHICH MIGHT AFFECT THE QUALITY OF TITLE TO PARCEL SHOWN HEREON WAS GAINED FROM A TITLE INSURANCE COMMITMENT NUMBER NCS-1245745-CHI2 ISSUED BY FIRST AMERICAN TITLE INSURANCE COMPANY, ON DECEMBER 26, 2024. THE FOLLOWING COMMENTS CORRESPOND TO THE SURVEY RELATED ITEMS NUMBERED IN SCHEDULE B, PART II, EXCEPTIONS, PART TWO, IN THE SAID COMMITMENT.

- ITEM 3 COVENANTS, CONDITIONS, RESTRICTIONS, UTILITY AND DRAINAGE EASEMENTS AND SETBACK LINES AND ANY AMENDMENTS THERETO AS DISCLOSED ON THE RECORDED PLAT OF SECOND RE-SUBDIVISION OF LOT 1 OF LAKE BUSINESS CENTER SUBDIVISION, RECORDED JULY 12, 2024 AS INSTRUMENT 2024-018297. AFFECTS PARCEL; PLATTED EASEMENTS SHOWN HEREON.
- ITEM 4 COVENANTS, CONDITIONS, RESTRICTIONS, UTILITY AND DRAINAGE EASEMENTS AND SETBACK LINES AND ANY AMENDMENTS THERETO AS DISCLOSED ON THE RECORDED PLAT OF LAKE BUSINESS CENTER SUBDIVISION, RECORDED IN PLAT BOOK 106, PAGE 20 AS INSTRUMENT 2013-019681. AFFECTS PARCEL; PLATTED EASEMENTS
- ITEM 5 COVENANTS, CONDITIONS, RESTRICTIONS, UTILITY AND DRAINAGE EASEMENTS AND SETBACK LINES AND ANY AMENDMENTS THERETO AS DISCLOSED ON THE RECORDED PLAT OF RE-SUBDIVISION OF LOT 1 IN LAKE BUSINESS CENTER SUBDIVISION, RECORDED IN PLAT BOOK 106, PAGE 55 AS INSTRUMENT 2013-063067. AFFECTS PARCEL; PLATTED EASEMENTS SHOWN HEREON.
- ITEM 6 EASEMENT FOR ELECTRIC FACILITIES IN FAVOR OF NORTHERN INDIANA PUBLIC SERVICE COMPANY LLC, AN INDIANA LIMITED LIABILITY COMPANY, RECORDED APRIL 10, 2024 AS INSTRUMENT 2024-510983, AND THE TERMS, PROVISIONS AND CONDITIONS CONTAINED THEREIN. DOES NOT AFFECT PARCEL
- ITEM 7 DECLARATION OF PARTY WALL AND GRANT OF EASEMENTS AGREEMENT MADE BY AND BETWEEN LBC OWNER LLC, A DELAWARE LIMITED LIABILITY COMPANY AND ITS SUCCESSORS AND ASSIGNS AND CAHST MUNSTER, LLC, A DELAWARE LIMITED LIABILITY COMPANY AND ITS SUCCESSORS AND ASSIGNS, RECORDED OCTOBER 4, 2021 AS INSTRUMENT 2021-062102, AND THE TERMS, PROVISIONS AND CONDITIONS CONTAINED THEREIN. DOES NOT AFFECT PARCEL
- ITEM 9 COVENANTS, CONDITIONS, AND RESTRICTIONS SET OUT IN DECLARATION OF EASEMENTS COVENANTS, CONDITIONS AND RESTRICTIONS, RECORDED JULY 16, 2012 AS INSTRUMENT 2012-046441. AFFECTS PARCEL; NOT
- ITEM 10 COVENANTS, CONDITIONS, AND RESTRICTIONS SET OUT IN DECLARATION OF EASEMENTS AND RESTRICTIVE COVENANT, RECORDED JULY 16, 2012 AS INSTRUMENT 2012-046440. AFFECTS PARCEL; NOT PLOTTABLE.
- ITEM 11 COVENANTS, CONDITIONS, AND RESTRICTIONS SET OUT IN DECLARATION OF RESTRICTIVE COVENANT, RECORDED JULY 16, 2012 AS INSTRUMENT 2012-046439. AFFECTS PARCEL; NOT PLOTTABLE
- ITEM 12 ELECTRIC AND GAS FACILITIES EASEMENT GRANTED TO NORTHERN INDIANA PUBLIC SERVICE COMPANY, RECORDED APRIL 21, 2017 AS INSTRUMENT 2017-024758, AND THE TERMS, PROVISIONS AND CONDITIONS CONTAINED THEREIN. AFFECTS PARCEL; EASEMENT SHOWN HEREON
- ITEM 14 COVENANTS, CONDITIONS, AND RESTRICTIONS AND EASEMENTS SET OUT IN DECLARATION OF EASEMENTS, COVENANTS, CONDITIONS AND RESTRICTIONS BY MUNSTER DEVELOPMENT LLC. A DELAWARE LIMITED LIABILITY OMPANY. RECORDED JULY 16. 2012 AS INSTRUMENT 2012-046441 AS AMENDED BY AMENDED AND RESTATEI DECLARATION OF EASEMENTS, COVENANTS, CONDITIONS AND RESTRICTIONS, RECORDED NOVEMBER 5, 2013 AS INSTRUMENT 2013-081770. AFFECTS PARCEL; NOT PLOTTABLE.
- ITEM 15 INGRESS AND EGRESS EASEMENT MADE BY AND BETWEEN MUNSTER DEVELOPMENT LLC, A DELAWARE LIMITED LIABILITY COMPANY AND TOWN OF MUNSTER, INDIANA, A MUNICIPAL CORPORATION, RECORDED AS INSTRUMENT 2012-004686 AS AMENDED BY AMENDED AND RESTATED INGRESS AND EGRESS EASEMENT RECORDED JULY 16, 2012 AS INSTRUMENT 2012-046438, AND THE TERMS, PROVISIONS AND CONDITIONS CONTAINED THEREIN. DOES NOT AFFECT PARCEL.
- ITEM 16 TERMS, PROVISIONS AND EASEMENT SET OUT IN BERM EASEMENT GRANTED TO ATG DEVELOPMENT COMPANY, LLC, RECORDED APRIL 10, 2003 AS INSTRUMENT 2003-036834 AS ASSIGNED AND ASSUMED BY ASSUMPTION AGREEMENT, RECORDED MARCH 30, 2006 AS INSTRUMENT 2006 025984 AS AMENDED BY AMENDMENT TO BERM EASEMENT, RECORDED JULY 16, 2012 AS INSTRUMENT 2012-046437. DOES NOT AFFECT PARCEL.
- ITEM 17 INGRESS AND EGRESS EASEMENT RECORDED APRIL 10, 2003 AS INSTRUMENT 2003-036836 AS ASSIGNED TO THE CAMBRIDGE CENTER COMMERCIAL ASSOCIATION BY ASSIGNMENT OF INGRESS AND EGRESS EASEMENT, RECORDED JUNE 8, 2004 AS INSTRUMENT 2004-048018. DOES NOT AFFECT PARCEL
- ITEM 18 GRANT OF EASEMENT IN FAVOR OF THE TOWN OF MUNSTER, INDIANA, A MUNICIPAL CORPORATION, RECORDED NOVEMBER 17, 1998 AS INSTRUMENT 98090848 AND RE-RECORDED JANUARY 14, 1999 AS INSTRUMENT 99003407, AND THE TERMS, PROVISIONS AND CONDITIONS CONTAINED THEREIN. DOES NOT AFFECT PARCEL, EASEMENT SHOWN HEREON. DOCUMENT DESCRIBES A 10 FOOT WIDE EASEMENT, HOWEVER THE PLATTED SUBDIVISION SHOWS A 15 FOOT WIDE EASEMENT.

IN ACCORDANCE WITH TITLE 865, ARTICLE 1.0, CHAPTER 12 OF THE INDIANA ADMINISTRATIVE CODE, THE FOLLOWING OBSERVATIONS AND OPINIONS ARE SUBMITTED REGARDING THE VARIOUS UNCERTAINTIES IN THE LOCATION OF THE LINES AND CORNERS ESTABLISHED OR REESTABLISHED ON THIS SURVEY. THIS PLAT REPRESENTS AN ORIGINAL SURVEY OF A NEW PARCEL CREATED FROM A LOT IN A PLATTED COMMERCIAL SUBDIVISION.

THIS SURVEY IS BASED ON LOCAL MONUMENTATION FOUND IN THE SECOND RE-SUBDIVISION OF LOT 1, OF LAKE BUSINESS CENTER SUBDIVISION. PLATTED BEARINGS AND DISTANCES WERE THEN USED TO RETRACE THE PARENT PARCEL LOT 3. THE LOCATION OF THE NEW NORTH LINE OF THE SUBJECT PARCEL TO BE CREATED WAS PROVIDED BY THE CLIENT. THE EAST LINE OF THE SUBJECT PARCEL IS 28 FEET WEST OF THE EAST LINE OF PARENT PARCEL LOT 3 ALONG THE WEST LINE OF THE PLATTED 28 FOOT INGRESS AND EGRESS EASEMENT.

A.) CONDITION OF FOUND REFERENCE MONUMENTS: UNLESS OTHERWISE STATED ON THIS PLAT, REFERENCE MONUMENTS WERE FOUND UNDISTURBED, AT OR NEAR GRADE AND OF UNKNOWN ORIGIN. UNCERTAINTY IN LOCATION OF FOUND MONUMENTS MEASURED 0.1 FEET NORTH-SOUTH, AND 0.2 FEET EAST-WEST.

B.) APPARENT UNCERTAINTIES DUE TO SUBSTANTIAL OBSERVED OCCUPATION OR POSSESSION ARE AS FOLLOWS: 1.) AN OLD CONCRETE STRUCTURE WITH AN UNDERGROUND PIPE VISIBLE HEADING NORTH BOTH FILLED WITH DEBRIS WAS LOCATED ON THE SUBJECT PARCEL AS SHOWN HEREON.


C.) THERE ARE NO APPARENT UNCERTAINTIES IN RECORD DESCRIPTIONS.

D.) THE RELATIVE POSITIONAL ACCURACY (DUE TO RANDOM ERRORS IN MEASUREMENTS) FOR THIS SURVEY, BASED ON EQUIPMENT AND PROCEDURES USED, WAS WITHIN THE ALLOWABLE (0.07 FEET PLUS 50 PARTS PER MILLION) FOR AN URBAN SURVEY , PER 865 IAC 1-12-7.

TO: MUNSTER MOB 1 LLC AND FIRST AMERICAN TITLE INSURANCE COMPANY;

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2021 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/NSPS LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1, 2, 3, 4, 5, 7a, 8, 9, AND 11a OF TABLE A THEREOF, THE FIELD WORK WAS COMPLETED ON FEBRUARY 20, 2025, I FURTHER STATE THAT THIS SURVEY WAS PERFORMED IN ACCORDANCE WITH THE GUIDELINES SET IN TITLE 865 IAC 1-12 (RULE 12).

DATE OF PLAT: FEBRUARY 21, 2025





Seg

SCALE: 1" = 30'

KIMLEY-HORN

© COPYRIGHT DVG TEAM, INC | FILE NO. DRAWN BY 2/21/2025 COUNTY, STATE 25-36-10 LAKE, IN JOB NO.

24-0533