| | | TO NEXT

MENU BOARD

SCALE: 1/2"=1'-0"

 \equiv 1" MIN., CONDUIT "B": \equiv

--FUTURE MENU BOARD DATA--

MENU BOARD & CHRISTY BOX - REFERENCE ONLY

_BUILDING |

BASE PLATE COVER

MENU BOARD - SINGLE, BY OTHERS - REFERENCE ONLY

4'-0"-----

AWNING CLEARANCE SIGN, BY OTHERS AT DRIVE-THRU 12" = 1'-0"

6" ALUMINUM C-CHANNEL FRONT & SIDES, WITH FLANGE POINTING OUT. (C6 x 2.83) .090 ALUMINUM SHEET ROOFING MOUNTED INSIDE C-CHANNEL & DRAINAGE GUTTER CHANNEL SLOPED TOWARDS BUILDING. TURNBUCKLES, 5/8" GALVANIZED STEEL ROD SUPPORTS WITH #2 GALVANIZED STEEL CLEVIS & PIN 2° X 2° X 1/8" AL. SQ. TUBE JOISTS (JOIST SPACED NOT TO EXCEED 2'-8") 3" x 2" AL. CHANNEL 6" x 2" x 1/4" AL. REC. TUBE 3" WIDE GUTTER - WELD ALL AROUND 2.07 240P61-COAST ALUM. 2" SCHEDULE 40 6061-T6

CUT-OUT FOR 3" SQ. TUBE 1 1/4" X 5/8" SLOTS @ 45° MOUNTING PLATE SCALE: 11/2"=1'-0"

MENU BOARD - DOUBLE, BY OTHERS - REFERENCE ONLY

Pylon choice should maximize height and area allowed. Height of the exposed pole, below the sign, must be at least the height of the cup sign itself. If Code Requirements are below a DBPY6 in area and below 12' OAH, use Monument Sign. NOTE: SIPPING PART OF CUP ALWAYS FACES THE BUILDING Footing to be excavated & concrete poured by sign installer.

Power must be supplied within 5' of the sign pole location. Pole Covers to only be used when required by municipalities

SIDE VIEW SCALE: 1/2"=1'-0"

MONUMENT SIGN BY OTHERS - REFERENCE ONLY

SIGNAGE DETAILS DRAWN BY: SR/CHECKED BY: MW SHEET NUMBER:

© 2025 DB Franchising USA, LLC

NOT FOR CONSTRUCTION

REV: DATE: DESCRIPTION:

10/20/2025

SHEET NAME:

SITE & BUILDING

70

2

PYLON SIGN BY OTHERS - REFERENCE ONLY